

ENDS MONITORING STATEMENT REQUEST IV (Period ending 11/30/08)

4. The community is attractive, clean and aesthetically pleasing.
- 4.1 Neighborhoods are aesthetically pleasing.
 - 4.2 City entrances and public facilities are attractive.
 - 4.3 The city is well maintained.
 - 4.4 There is a balance of green and developed space.

SOUTHEAST QUADRANT **Week A** **RIGHT-OF-WAYS**

CUSTER ROAD (MAIN TO SH 121)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

COIT ROAD (MAIN TO SH 121)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

HILLCREST ROAD (MAIN TO SH 121)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED
- D.

PRESTON ROAD (MAIN TO SH 121)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

ROLATOR ROAD (PRESTON TO COIT ROAD)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED (UTILITY CONSTRUCTION IN MEDIAN)

COLLEGE PARKWAY (HILLCREST TO COIT)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

WADE BOULEVARD (PRESTON TO HILLCREST)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

LEBANON ROAD (PRESTON TO COIT)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

CITY ENTRANCES

CUSTER @ SH 121

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. SIGNAGE/FAÇADE RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

PRESTON ROAD @ SH 121

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. SIGNAGE/FAÇADE RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

CITY FACILITIES

SHAWNEE TRAIL PARK

- A. TRASH RATING: (1) MINIMAL LITTER (AFTER EVENTS & WEEKENDS)
- B. PAINT/FAÇADE RATING: (1) BUILDINGS MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

SUPERDROME

- A. TRASH RATING: (1) MINIMAL LITTER
- B. PAINT/FAÇADE RATING: (1) CURRENT AND CLEAN
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

EXTERIOR OF TANK FARM AT CUSTER/SH 121 (WEST SIDE OF CUSTER ½ MILE NORTH OF HWY 121)

- A. TRASH RATING: (1) MINIMAL LITTER
- B. PAINT/FAÇADE RATING: (1) MAINTAINED / CURRENT
- C. LAWN/LANDSCAPING RATING: N/A - NO LANDSCAPE

750k GAL. ELEVATED STORAGE TANK (ACROSS FROM SHAWNEE TRAIL PARK ON HILLCREST)

- A. TRASH RATING: (1) CLEAN
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

FIRE STATION #2 ON OHIO DRIVE

- A. TRASH RATING: (1) CLEAN
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

SOUTHWEST QUADRANT RIGHT OF WAYS

STONEBROOK PARKWAY (PRESTON – WEST)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

LEBANON ROAD (PRESTON – WEST)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER (Construction underway to widen roadway)
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

WARREN PARKWAY (PRESTON TO LEGACY)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

GAYLORD PARKWAY (PRESTON TO DALLAS NORTH TOLLWAY)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER (Roadway construction at DNT)
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

LEGACY (SH 121 – NORTH TO ELDORADO)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER (Widening of roadway almost complete from Academy to Main. Utility construction from Chippewa to Academy n/b lanes and from Stonebrook to Academy s/b lanes down to 1 lane each way)
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

DALLAS NORTH TOLLWAY (SH 121 – Main)

- A. TRASH RATING: (1) Intermittent litter
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED (N/B from Gaylord to Warren grass being planted. The DNT now open to traffic with minor construction still underway)

PARKWOOD/5TH STREET (STONEBROOK PARKWAY – MAIN)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

CITY ENTRANCES

LEGACY ROAD @ SH 121

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

CITY FACILITIES

CENTRAL PARK

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

2 MILLION GALLON ELEVATED STORAGE TANK (at Parkwood, north of Warren Parkway on the east side)

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

FRISCO RACCOON WATER STORAGE TANK (located at NWC of Gary Burns Drive & Preston Road)

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (2) MASCOT FADED (POSSIBLE REPLACEMENT OF THIS TANK WITH NEW ELEVATED TANK)
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

CITY HALL

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED –

GAZEBO/CLOCK

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

DOWNTOWN HISTORIC H2O TANK AREA (BEHIND THE ABBEY GRILL)

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (2) ATTENTION NEEDED FOR Roof shingles on building are missing and others are worn/weathered. Facilities is working on bids to fix issues.
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

CENTRAL FIRE STATION

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

FIRE STATION #3

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

NORTHWEST QUADRANT
RIGHT OF WAYS

FIRE STATION #4

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

MAIN (FM 423 TO PRESTON)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

ELDORADO PARKWAY (FM 423 TO CUSTER ROAD)

- A. TRASH RATING: (2) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER. BETWEEN 423 TO DALLAS PKWY TXDOT WORKING ON WIDENING THE ROADWAY.
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

FRISCO ST. (MAIN – EL DORADO PARKWAY)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

US 380 (FM 423 TO PRESTON – SOUTHSIDE OF 380)

- A. TRASH RATING: (1) INTERMITTENT LITTER (STATE'S RESPONSIBILITY)
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) TxDOT CURENTLY RESPONSIBLE FOR SOUTH SIDE OF 380

DALLAS PARKWAY / SERVICE ROAD (FROM MAIN NORTH)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

TEEL PARKWAY (LEBANON TO PANTHER CREEK PKWY)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

CITY ENTRANCES

PRESTON ROAD AT US 380

- A. TRASH RATING: (1) MAINTAINED
- B. SIGNAGE/FAÇADE RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

FM 423 AT US 380

- A. TRASH RATING: (1) MAINTAINED
- B. SIGNAGE/FAÇADE RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

FM 423 AT MAIN

- A. TRASH RATING: (1) MAINTAINED
- B. SIGNAGE/FAÇADE RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

CITY FACILITIES

FRISCO MUNICIPAL COMPLEX - (BOYS & GIRLS CLUB MOVING INTO LOCATION AND WILL RESOLVE PROBLEMS – RENEVATION IN PROGRESS)

- A. TRASH RATING: (2) LITTER MAINTAINED; WEAK FENCE AT EAST SIDE OF PROPERTY REQUIRES REPLACEMENT (PICKETS MISSING)
- B. PAINT/FAÇADE RATING: (1) LOCATION HAS RECENTLY BEEN PAINTED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

PARKS & RECREATION FACILITY (Walnut Street)

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

COMMUNITY CENTER

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (2) MAINTAINED (Front & rear entrances reflect paint peeling; missing shingles; mini-blinds need replacing; window boarded)
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

PARKING LOT ADJACENT TO COMMUNITY CENTER (SWC OAK & 4TH STREETS)

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

WARREN SPORTS COMPLEX

- A. TRASH RATING: (1) MAINTAINED
- B. PAINT/FAÇADE RATING: (1) MAINTAINED
- C. LAWN/LANDSCAPING RATING: (1) MAINTAINED

NORTHEAST QUADRANT RIGHT OF WAY

MAIN (PRESTON TO CUSTER)

- A. TRASH RATING: (1) INTERMITTENT LITTER
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED (Roadway improvements at Custer & Main ON McKINNEY SIDE)

US 380 (PRESTON TO CUSTER)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED BY TXDOT CUSTER ROAD (FM 3537 TO US 380)

CITY OF FRISCO RESPONSIBLE FOR CUSTER ROAD ON WEST SIDE; MCKINNEY ON EAST SIDE

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

PRESTON ROAD (MAIN – US 380)

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. GRASS/LANDSCAPING RATING: (1) MAINTAINED

CITY ENTRANCES

CUSTER ROAD @ US 380

INTERSECTION NOT FRISCO'S JURISDICTION; CITY OF MCKINNEY JURISDICTION

- A. TRASH RATING: (1) MAINTAINED
- B. ROADWAY RATING: TRAFFIC ENGINEER
- C. TRAFFIC CONTROL RATING: TRAFFIC ENGINEER

SCALE

1 = ACCEPTABLE / GOOD

2 = ATTENTION NEEDED

3 = UNSIGHTLY; UNAESTHETICALLY PLEASING; EYESORE

TE = TRAFFIC ENGINEER'S

N/A = NOT APPLICABLE